

RECOMMENDED TOOLS AND CHECKERS

	Page
RECOMMENDED TOOLS AND CHECKERS	2

 : An impact wrench can be used with tools with this mark.
As tools without this mark are meant to be operated manually, an impact wrench cannot be used.

 : *Une clé à chocs peut être utilisée avec les outils marques de ce repère. Vu que les outils n'ayant pas ce repère sont conçus en vue d'une utilisation manuelle, une clé à chocs ne peut pas être utilisée.*

 : Bei Werkzeugen mit dieser Markierung kann ein Schlagschrauber verwendet werden. Da Werkzeuge ohne diese Markierung handbetätigt werden sollten, kann kein Schlagschrauber verwendet werden.

 : *Puede utilizarse una llave de impacto con las herramientas que presenten esta marca. Como las herramientas sin esta marca deben ser manipuladas manualmente, no se podrán utilizar con una llave de impacto.*





Illustration	Part No.	Part Name	Note
-	09002-1C102	Service Tool Full Set	*1 indicates tools which are included in the service tool full set (09002-1C102).
-	09003-1C102	Service Tool Half Set	*2 indicates tools which are included in the service tool half set (09003-1C102).
	09003-2C100	Insulated Tool Set	This set consists of the following 5 parts.
	(09012-4C100)	(Insulated Deep Socket 8mm)	Size (Hexagon): 8 mm Square drive 9.5 mm
	(09012-4C110)	(Insulated Deep Socket 10mm)	Size (Hexagon): 10 mm Square drive 9.5 mm
	(09021-1C200)	(Insulated Ratchet Handle)	Square drive 9.5 mm
	(09072-2C100)	(Insulated Torque Wrench 5 to 25 N*m)	Torque range: 5 to 25 N*m Square drive 9.5 mm
	(09005-1C200)	(Insulated Tool Case)	In order to prevent the insulation coating on the tools from deterioration caused by direct sunlight, be sure to store the insulated tools in this case.
	09005-1C100	Service Tool Case	*2
	09010-3C100	Hexagon Wrench Set	
	(09005-1C110)	(Hard Case)	
	(09013-6C100)	(Hexagon Socket Wrench 5)	Use hexagon bit 09013-6C900 for bit replacement. Square drive 9.5 mm
	(09013-6C110)	(Hexagon Socket Wrench 6)	Use hexagon bit 09013-6C910 for bit replacement. Square drive 9.5 mm
	(09013-6C120)	(Hexagon Socket Wrench 8)	Use hexagon bit 09013-6C920 for bit replacement. Square drive 9.5 mm
	(09013-6C130)	(Hexagon Socket Wrench 10)	Use hexagon bit 09013-6C930 for bit replacement. Square drive 9.5 mm
	(09013-6C140)	(Hexagon Socket Wrench 12)	Use hexagon bit 09013-6C940 for bit replacement. Square drive 9.5 mm




Illustration	Part No.	Part Name	Note
	(09013-7C100)	(Straight Hexagon) Wrench 10	
	(09013-7C110)	(Straight Hexagon) Wrench 12	
	(09013-7C120)	(Straight Hexagon) Wrench 14	
	(09013-7C130)	(Straight Hexagon) Wrench 17	
	(09013-7C140)	(Straight Hexagon) Wrench 19	
	(09013-7C150)	(Straight Hexagon) Wrench 21	
	(09013-7C160)	(Straight Hexagon) Wrench 24	
	09010-3C110	Hexagon Socket Wrench Set	
	(09005-1C120)	(Soft Case)	
	(09013-6C100)	(Hexagon Socket) Wrench 5	Use hexagon bit 09013-6C900 for bit replacement. Square drive 9.5 mm
	(09013-6C110)	(Hexagon Socket) Wrench 6	Use hexagon bit 09013-6C910 for bit replacement. Square drive 9.5 mm
	(09013-6C120)	(Hexagon Socket) Wrench 8	Use hexagon bit 09013-6C920 for bit replacement. Square drive 9.5 mm
	(09013-6C130)	(Hexagon Socket) Wrench 10	Use hexagon bit 09013-6C930 for bit replacement. Square drive 9.5 mm
	(09013-6C140)	(Hexagon Socket) Wrench 12	Use hexagon bit 09013-6C940 for bit replacement. Square drive 9.5 mm
	09013-6C900	Hexagon Bit 5	Replacement part for hexagon socket wrench 5 (09013-6C100).
	09013-6C910	Hexagon Bit 6	Replacement part for hexagon socket wrench 6 (09013-6C110).




Illustration	Part No.	Part Name	Note
	09013-6C920	Hexagon Bit 8	Replacement part for hexagon socket wrench 8 (09013-6C120).
	09013-6C930	Hexagon Bit 10	Replacement part for hexagon socket wrench 10 (09013-6C130).
	09013-6C940	Hexagon Bit 12	Replacement part for hexagon socket wrench 12 (09013-6C140).
	09010-3C120	"TORX" Socket Wrench Set	
	(09005-1C120)	(Soft Case)	
	(09013-1C100)	"TORX" Socket Wrench T20	The "TORX" bit is replaceable. Square drive 9.5 mm For removing and installing "TORX" screw or bolt  T20 = 3.8 mm T25 = 4.4 mm T30 = 5.5 mm T40 = 6.6 mm T45 = 7.8 mm T50 = 8.8 mm
	(09013-1C110)	"TORX" Socket Wrench T25	
	(09013-1C120)	"TORX" Socket Wrench T30	
	(09013-1C130)	"TORX" Socket Wrench T40	
	(09013-1C140)	"TORX" Socket Wrench T45	
	(09013-1C150)	"TORX" Socket Wrench T50	
	09013-1C900	"TORX" Bit T20	Replacement part for "TORX" socket wrench T20 (09013-1C100).
	09013-1C910	"TORX" Bit T25	Replacement part for "TORX" socket wrench T25 (09013-1C110).
	09013-1C920	"TORX" Bit T30	Replacement part for "TORX" socket wrench T30 (09013-1C120).
	09013-1C930	"TORX" Bit T40	Replacement part for "TORX" socket wrench T40 (09013-1C130).
	09013-1C940	"TORX" Bit T45	Replacement part for "TORX" socket wrench T45 (09013-1C140).




Illustration	Part No.	Part Name	Note
	09013-1C950	"TORX" Bit T50	Replacement part for "TORX" socket wrench T50 (09013-1C150).
	09011-1C100	Socket Wrench 8 mm 6P	Square drive 9.5 mm
	09011-1C110	Socket Wrench 10 mm 6P	*1, *2 Square drive 9.5 mm
	09011-1C120	Socket Wrench 12 mm 6P	*1, *2 Square drive 9.5 mm
	09011-1C130	Socket Wrench 13 mm 6P	Square drive 9.5 mm
	09011-1C140	Socket Wrench 14 mm 6P	Square drive 9.5 mm
	09011-1C500	Socket Wrench 12 mm 12P	Square drive 9.5 mm
	09011-1C510	Socket Wrench 14 mm 12P	*1, *2 Square drive 9.5 mm
	09011-1C520	Socket Wrench 17 mm 12P	*2 Square drive 9.5 mm
	09011-1C530	Socket Wrench 19 mm 12P	*2 Square drive 9.5 mm
	09011-1C540	Socket Wrench 13 mm 12P	Square drive 9.5 mm
	09011-2C100	Socket Wrench 14 mm 6P	Square drive 12.7 mm
	09011-2C110	Socket Wrench 17 mm 6P	Square drive 12.7 mm
	09011-2C120	Socket Wrench 19 mm 6P	Square drive 12.7 mm


Illustration	Part No.	Part Name	Note
	09011-2C500	Socket Wrench 17 mm 12P	*1 Square drive 12.7 mm
	09011-2C510	Socket Wrench 19 mm 12P	*1 Square drive 12.7 mm
	09011-2C520	Socket Wrench 21 mm 12P	*1 Square drive 12.7 mm
	09011-2C530	Socket Wrench 22 mm 12P	*1 Square drive 12.7 mm
	09011-2C540	Socket Wrench 23 mm 12P	*1 Square drive 12.7 mm
	09011-2C550	Socket Wrench 24 mm 12P	*1 Square drive 12.7 mm
	09011-2C560	Socket Wrench 26 mm 12P	Square drive 12.7 mm
	09011-2C570	Socket Wrench 27 mm 12P	Square drive 12.7 mm
	09011-2C580	Socket Wrench 29 mm 12P	Square drive 12.7 mm
	09011-2C590	Socket Wrench 30 mm 12P	Square drive 12.7 mm
	09011-2C600	Socket Wrench 32 mm 12P	Square drive 12.7 mm
	09011-4C100	Socket Wrench 46 mm 12P	Square drive 19.0 mm
	09011-4C110	Socket Wrench 50 mm 12P	Square drive 19.0 mm
	09011-4C120	Socket Wrench 39 mm 12P	Square drive 19.0 mm
 	09011-3C100	Impact Socket Wrench 21mm	For wheel nut Square drive 12.7 mm
	09011-3C110	Impact Socket Wrench 19 mm	For wheel nut Square drive 12.7 mm






Illustration	Part No.	Part Name	Note
	09011-3C301	Socket Wrench 21mm for Aluminum Wheel	Square drive 12.7 mm
	09011-3C301	Socket Wrench 19mm for Aluminum Wheel	Square drive 12.7 mm
	09011-3C200	Spark Plug Wrench 20.8 mm	*1, *2 Square drive 9.5 mm
	09011-3C210	Spark Plug Wrench 16 mm	*1, *2 Square drive 9.5 mm
	09011-3C220	Spark Plug Wrench 14 mm	Square drive 9.5 mm
	09011-3C400	Phillips Socket Wrench	Use phillips bit 09011-3C900 for bit replacement. Square drive 9.5 mm
	09011-3C500	Combination Socket Wrench 41 x 20 mm	Size (Hexagon): 41 mm Size (Square): 20 mm Square drive 19 mm
	09011-3C510	Inner Nut adaptor 20 mm 8P	Size (Hexagon): 41 mm Size (Square): 20 mm
	09011-3C900	Phillips Bit	Replacement part for phillips socket wrench (09011-3C400).
	09011-5C100	Universal Socket Wrench 8 mm 6P	Square drive 9.5 mm
	09011-5C110	Universal Socket Wrench 10 mm 6P	Square drive 9.5 mm
	09011-5C120	Universal Socket Wrench 12 mm 6P	Square drive 9.5 mm
	09012-1C100	Deep Socket Wrench 8 mm 6P	Square drive 9.5 mm
	09012-1C110	Deep Socket Wrench 10 mm 6P	Square drive 9.5 mm
	09012-1C120	Deep Socket Wrench 12 mm 6P	Square drive 9.5 mm
	09012-1C130	Deep Socket Wrench 14 mm 6P	Square drive 9.5 mm



Illustration	Part No.	Part Name		Note
	09012-2C500	Deep Socket Wrench 17 mm 12P		Square drive 12.7 mm
	09012-2C510	Deep Socket Wrench 19 mm 12P		Square drive 12.7 mm
	09012-2C520	Deep Socket Wrench 24 mm 12P		Square drive 12.7 mm
	09012-2C530	Deep Socket Wrench 27 mm 12P		Square drive 12.7 mm
	09012-2C540	Deep Socket Wrench 30 mm 12P		Square drive 12.7 mm
	09012-3C100	Bolt/Nut Grip Deep Socket 8 mm		Size : 8 mm Style: 6 point Length: 55 mm Square drive 9.5 mm
	09012-3C110	Bolt/Nut Grip Deep Socket 10 mm		Size: 10 mm Style: 6 point Length: 55 mm Square drive 9.5 mm
	09013-1C160	"TORX Plus" Socket Wrench	 6.6 mm	Square drive 9.5 mm 40 IP = 6.6 mm
	09013-1C200	Short "TORX" Socket Wrench T30	 5.5 mm	The "TORX" bit is replaceable. Square drive 9.5 mm For removing and installing "TORX" screw or bolt  T30 = 5.5 mm T40 = 6.6 mm
	09013-1C300	Long "TORX" Socket Wrench T30	 5.5 mm	
	09013-1C310	Long "TORX" Socket Wrench T40	 6.6 mm	
	09013-1C960	Long "TORX" Bit T30		Replacement part for long "TORX" socket wrench T30 (09013-1C300).
	09013-1C970	Long "TORX" Bit T40		Replacement part for long "TORX" socket wrench T40 (09013-1C310).
	09013-1C980	Short "TORX" Bit T30		Replacement part for short "TORX" socket wrench T30 (09013-1C200).





Illustration	Part No.	Part Name	Note
	09013-1C500	"TORX" Socket Wrench E5	E5 = 4.7 mm Square drive 9.5 mm
	09013-1C510	"TORX" Socket Wrench E6	E6 = 5.6 mm Square drive 9.5 mm
	09013-1C520	"TORX" Socket Wrench E7	E7 = 6.1 mm Square drive 9.5 mm
	09013-1C530	"TORX" Socket Wrench E8	E8 = 7.4 mm Square drive 9.5 mm
	09013-1C540	"TORX" Socket Wrench E10	E10 = 9.4 mm Square drive 9.5 mm
	09013-1C551	"TORX" Socket Wrench E14	E14 = 12.8 mm Square drive 12.7 mm
	09013-1C560	"TORX" Socket Wrench E16	E16 = 14.66 mm Square drive 12.7 mm
	09013-1C580	"TORX" Socket Wrench E20	E20 = 18.4 mm Square drive 12.7 mm
	09013-2C100	"TORX" Socket Wrench T30H for Tamper Resistant Fasteners	 5.5 mm The "TORX" bit is replaceable. Square drive 9.5 mm For removing and installing "TORX" screw or bolt 
	09013-2C110	"TORX" Socket Wrench T50H for Tamper Resistant Fasteners	
	09013-2C120	"TORX" Socket Wrench T55H for Tamper Resistant Fasteners	
	09013-2C900	"TORX" Bit T30H for Tamper Resistant Fasteners	Replacement part for "TORX" socket wrench T30H for tamper resistant fasteners (09013-2C100).
	09013-2C910	"TORX" Bit T50H for Tamper Resistant Fasteners	Replacement part for "TORX" socket wrench T50H for tamper resistant fasteners (09013-2C110).
	09013-2C920	"TORX" Bit T55H for Tamper Resistant Fasteners	Replacement part for "TORX" socket wrench T55H for tamper resistant fasteners (09013-2C120).
	09013-6C090	Hexagon Socket Wrench 4	Use hexagon bit 4 09013-6C890 for bit replacement. Square drive 9.5 mm






Illustration	Part No.	Part Name	Note
	09013-6C500	Long Hexagon Socket Wrench 5	Use long hexagon bit 5 09013-6C950 for bit replacement. Square drive 9.5 mm
	09013-6C510	Long Hexagon Socket Wrench 6	Use long hexagon bit 6 09013-6C960 for bit replacement. Square drive 9.5 mm
	09013-6C520	Long Hexagon Socket Wrench 8	Use long hexagon bit 8 09013-6C970 for bit replacement. Square drive 9.5 mm
	09013-6C890	Hexagon Bit 4	Replacement part for hexagon socket wrench 4 (09013-6C090).
	09013-6C950	Long Hexagon Bit 5	Replacement part for long hexagon socket wrench 5 (09013-6C500).
	09013-6C960	Long Hexagon Bit 6	Replacement part for long hexagon socket wrench 6 (09013-6C510).
	09013-6C970	Long Hexagon Bit 8	Replacement part for long hexagon socket wrench 8 (09013-6C520).
	09013-7C300	Double Hexagon Wrench 8 mm	Square drive 12.7 mm
	09013-7C310	Double Hexagon Wrench 10 mm	Square drive 12.7 mm
	09013-7C400	L Shape Hex-Key Wrench Set	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
	09017-1C100	Union Nut Wrench 10 mm	Square drive 9.5 mm
	09017-1C110	Union Nut Wrench 12 mm	Square drive 9.5 mm
	09017-1C120	Union Nut Wrench 14 mm	Square drive 9.5 mm
	09017-1C130	Union Nut Wrench 17 mm	Square drive 12.7 mm
	09017-1C140	Union Nut Wrench 19 mm	Square drive 12.7 mm







Illustration	Part No.	Part Name	Note
	09017-1C200	Ball Joint Lock Nut Wrench 17 mm	
	09017-1C210	Ball Joint Lock Nut Wrench 19 mm	
	09017-1C220	Ball Joint Lock Nut Wrench 22 mm	
	09021-1C100	Ratchet Handle	*1, *2 Square drive 9.5 mm Size 180 mm
	09021-1C110	Ratchet Handle	Square drive 12.7 mm Size 250 mm
	09021-2C100	Spinner Handle	Square drive 9.5 mm
	09021-2C110	Spinner Handle	*1 Square drive 12.7 mm
	09021-3C100	Sliding T-type Handle	*1, *2 Square drive 9.5 mm Size 200 mm
	09021-3C110	Sliding T-type Handle	Square drive 12.7 mm Size 250 mm
	09021-3C200	L-type Handle	Square drive 19.0 mm
	09022-1C100	Extension Bar 75 mm	*1, *2 Square drive 9.5 mm
	09022-1C110	Extension Bar 100 mm	Square drive 9.5 mm
	09022-1C120	Extension Bar 150 mm	*1, *2 Square drive 9.5 mm
	09022-1C130	Extension Bar 270 mm	*1 Square drive 9.5 mm
	09022-1C300	Extension Bar 75 mm	Square drive 12.7 mm






Illustration	Part No.	Part Name	Note
	09022-1C310	Extension Bar 150 mm	*1 Square drive 12.7 mm
	09022-1C320	Extension Bar 270 mm	Square drive 12.7 mm
	09022-1C330	Extension Bar 990 mm	Square drive 12.7 mm
	09022-1C700	Extension Bar 250 mm	Length : 250 mm Square drive 19 mm
	09022-1C500	Tilt Extension Bar 30 mm	Square drive 9.5 mm
	09022-1C510	Tilt Extension Bar 75 mm	Square drive 9.5 mm
	09022-1C520	Tilt Extension Bar 150 mm	Square drive 9.5 mm
	09022-3C100	Socket Adaptor	*1 Square drive 12.7 mm to 9.5 mm
	09022-3C110	Socket Adaptor	*1 Square drive 9.5 mm to 12.7 mm
	09022-3C200	Universal Joint	*1, *2 Square drive 9.5 mm
	09022-3C210	Universal Joint	Square drive 12.7 mm
	09025-00010	Small Torque Wrench	
	09030-2C100	Combination Wrench Set	
	(09032-2C110)	(Combination Wrench 10 mm)	
	(09032-2C120)	(Combination Wrench 12 mm)	
	(09032-2C130)	(Combination Wrench 14 mm)	


Illustration	Part No.	Part Name	Note
	(09032-2C140)	(Combination Wrench 17 mm)	
	09032-2C100	Long Combination Wrench 14 mm	
	09031-1C100	Long Offset Wrench 8 x 10 mm	
	09031-1C110	Long Offset Wrench 10 x 12 mm	*1, *2
	09031-1C190	Long Offset Wrench 11 x 13 mm	
	09031-1C120	Long Offset Wrench 12 x 14 mm	*1
	09031-1C130	Long Offset Wrench 14 x 17 mm	*1, *2
	09031-1C140	Long Offset Wrench 17 x 19 mm	
	09031-1C150	Long Offset Wrench 19 x 21 mm	*1, *2
	09031-1C160	Long Offset Wrench 21 x 23 mm	
	09031-1C170	Long Offset Wrench 22 x 24 mm	*1, *2
	09031-1C180	Long Offset Wrench 24 x 27 mm	
	09031-1C500	Short Offset Wrench 8 x 10 mm	*1
	09031-1C510	Short Offset Wrench 10 x 12 mm	
	09031-1C520	Short Offset Wrench 11 x 13 mm	
	09031-1C530	Short Offset Wrench 12 x 14 mm	*1




Illustration	Part No.	Part Name	Note
	09032-1C100	Open End Wrench 6 x 7 mm	
	09032-1C110	Open End Wrench 8 x 9 mm	
	09032-1C120	Open End Wrench 8 x 10 mm	*1, *2
	09032-1C130	Open End Wrench 10 x 12 mm	*1, *2
	09032-1C140	Open End Wrench 12 x 14 mm	*1, *2
	09032-1C150	Open End Wrench 14 x 17 mm	*1, *2
	09032-1C160	Open End Wrench 17 x 19 mm	*1, *2
	09032-1C170	Open End Wrench 21 x 23 mm	
	09032-1C180	Open End Wrench 22 x 24 mm	
	09032-1C190	Angled Open End Wrench 12 x 14 mm	
	09033-1C100	Hub Nut Wrench 21mm	*1, *2
	09041-1C100	Phillips Stubby Screwdriver 25mm	*1, *2
	09041-1C110	Phillips Screwdriver 75 mm	*1
	09041-1C120	Phillips Screwdriver 100 mm	*1, *2
	09041-1C130	Phillips Screwdriver 150 mm	*1
	09041-1C140	Phillips Screwdriver 250 mm	






Illustration	Part No.	Part Name		Note
	09041-1C500	Flat head Stubby Screwdriver 25mm		*1, *2
	09041-1C510	Flat head Screwdriver 75 mm		*1
	09041-1C520	Flat head Screwdriver 100 mm		*1, *2
	09041-1C530	Flat head Screwdriver 150 mm		*1
	09041-1C540	Flat head Screwdriver 250 mm		
	09041-1C550	Thin Flat head Screwdriver		*1, *2
	09041-1C150	Short Phillips Screwdriver 15 mm		
	09041-1C560	Phillips Micro Screwdriver		
	09041-2C100	Socket driver 5.5 mm		
	09041-2C110	Socket driver 7 mm		
	09041-2C120	Socket driver 8 mm		*1
	09041-2C130	Socket driver 10 mm		*1
	09041-2C200	"TORX" Screwdriver T10H for Tamper Resistant Fasteners	 2.7 mm	For removing and installing "TORX" screw or bolt  T10 = 2.7 mm (0.106 in.) T20 = 3.8 mm (0.150 in.) T25 = 4.4 mm (0.173 in.) T30 = 5.5 mm (0.217 in.)
	09041-2C210	"TORX" Screwdriver T20H for Tamper Resistant Fasteners	 3.8 mm	
	09041-2C220	"TORX" Screwdriver T25H for Tamper Resistant Fasteners	 4.4 mm	
	09041-2C230	"TORX" Screwdriver T30H for Tamper Resistant Fasteners	 5.5 mm	









Illustration	Part No.	Part Name	Note
	09042-1C102	Wrench,Monkey 250mm	*1, *2
	09042-1C200	Pliers	Size 150 mm
	09042-1C210	Pliers	*1, *2 Size 200 mm
	09042-1C300	Needle Nose Plier	*1, *2 Size 160 mm
	09042-1C400	Nipper	
	09042-1C500	Water Pump Pliers	
	09042-1C600	Hog Ring Pliers	
	09043-38100	Hexagon 10 mm Wrench	
	09050-00032	Air Drill	
 	(09050-00210)	(Chuck Set)	
	(09050-00220)	(Handle)	
	09050-00071	Air Duster	
	(09050-00600)	(Nozzle)	
	09050-10010	Air Powered Ratchet	
 	(09050-00060)	(Air Tool Oil)	
	(09050-01010)	(Ratchet Shank Sub-assembly)	







Illustration	Part No.	Part Name	Note
	(09050-01020)	(Ratchet Shank Repair Kit)	
	(09050-01030)	(Head Housing Assembly)	
	(09050-01040)	(Gear Repair Kit)	
	(09050-01050)	(Motor Assembly)	
	(09050-01060)	(Throttle Valve Repair Kit)	
	(09050-01070)	(Throttle Lever Repair Kit)	
	(09050-01080)	(Silencer Ring)	
	(09050-01090)	(Inlet Union)	
	(09050-01100)	(Air Powered Ratchet Crank)	
	09050-20010	Air Riveter	
	(09050-02010)	(Dust Cap)	
	(09050-02020)	(Nose Piece No.1)	
	(09050-02030)	(Nose Piece No.2)	
	(09050-02040)	(Nose Piece No.3)	
	09050-02050	Nose Piece No.4	Optional tool for Recommended Tool No. 09050-20010
	09051-1C100	Hammer	*1, *2










Illustration	Part No.	Part Name	Note
	09051-1C110	Plastic Hammer	
	09051-1C200	Brass Bar	*1 Size 220 mm, ϕ 16
	09051-1C300	Chisel	Blade width 19 mm
	09051-1C400	Pin Punch	Pin diameter 3 mm
	09051-1C410	Pin Punch	Pin diameter 5 mm
	09051-1C500	Center Punch	
	09052-1C100	Gasket Scraper Set	
    	(09052-1C110)	(Gasket Scraper)	*1 Length 75mm
	(09052-1C120)	(Gasket Scraper U-Type)	
	(09052-1C130)	(Gasket Scraper P-Type)	
	(09052-1C140)	(Oil Stone)	
	(09052-1C150)	(Case)	
	09052-1C200	Valve Cap Wrench	
	09052-1C300	Oil Stone	Length 120 mm
	09053-1C100	Magnet Hand	*1
	09053-1C200	Hose Plug Set	











Illustration	Part No.	Part Name	Note
	(09053-1C210)	(Hose Plug No.1)	*1
	(09053-1C220)	(Hose Plug No.2)	
	09060-60350	Rivet Cutter	
	09061-1C100	Clip Remover	Length 172 mm Tip opening width 6 mm
	09061-1C110	Clip Remover	Length 192.5 mm Tip opening width 10 mm
	09061-1C300	Moulding Remover Set	
   	(09061-1C310)	(Moulding Remover A)	
	(09061-1C320)	(Moulding Remover B)	
	(09061-1C330)	(Moulding Remover C)	
	(09061-1C340)	(Moulding Remover D)	
	09062-1C101	Vise Plier 50mm	
	09062-1C200	File Set	
	09071-1C100	Spark Plug Gap Gauge	*1 Size 0.8, 0.9, 1.0, 1.1 mm
	09071-1C200	Thickness Gauge 14PCS	Range 0.03 - 0.5 mm
	09071-1C210	Thickness Gauge 18PCS	*1 Range 0.08 - 0.5 mm







Illustration	Part No.	Part Name	Note
	09072-1C100	Tape Measure 2 m	
	09072-1C110	Tape Measure 3.5 m	
	09072-1C200	Vernier Calipers 150 mm	
	09072-1C210	Vernier Calipers 300 mm	
	09080-1C111 NEW	Toyota Electrical Tester Set	An instruction manual and the following 2 parts are included
	(09082-1C101)	(Test Lead)	1 red and 1 black lead Harness length: 800 mm (31.50 in.) Diameter: 2.0 mm (0.0787 in.)
	(09082-3C110)	(Tester Case)	
	09080-2C101 NEW	Test Lead Set	The following 4 parts are included
	(09082-1C111)	(Base Lead)	1 red and 1 black lead Harness length: 1500 mm (59.06 in.)
	(09082-1C121)	(Test Bar)	1 red and 1 black bar
	(09082-1C131)	(Pin2.0)	1 red and 1 black pin Diameter: 2.0 mm (0.0787 in.)
	(09082-1C141)	(Pin0.5)	1 red and 1 black pin Diameter: 0.5 mm (0.0197 in.)
	09080-2C111 NEW	AC/DC400A Probe	An instruction manual and the following part is included
	(09082-3C120)	(Probe Case)	
	09082-1C151 NEW	Alligator Clip	1 red and 1 black clip
	09082-1C161 NEW	IC Clip	1 red and 1 black clip



Illustration	Part No.	Part Name	Note
	09082-2C100	Fast Acting Fuse2A	
	09082-2C110	Fast Acting Fuse15A	
	09090-04020	Engine Sling Device	
	(09091-00100)	(Hook A)	
	(09091-00200)	(Hook B)	
	09090-06000	Transmission Repair Stand	For setting the transmission in a vise (W & N series transmission only)
	09091-1C100	Oil Pan Seal Cutter	
	09200-00011	Engine Adjust Kit	
	(09071-1C100)	(Spark Plug Gap Gauge)	
	(09071-1C210)	(Thickness Gauge)	
	(09855-10011)	(Wrench 7 x 8 mm)	
	(09856-10010)	(Oil Stone)	
	09216-00010	V Belt Remover	
	09216-00021	Belt Tension Gauge	
	09216-00030	Belt Tension Gauge Cable	
	09216-10050	Master Gauge	









Illustration	Part No.	Part Name	Note
	09230-40010	Radiator Cap Tester	Max Pressure : 200kPa (2.03 kg/cm ² , 29 psi)
	09230-40020	Radiator Cap Tester	Max Pressure : 300kPa (3.05 kg/cm ² , 43 psi)
	09231-40010	Radiator Cap Tester Adapter Set A	
	(09231-04010)	(Adapter A)	
	(09231-04020)	(Adapter A with hose)	
	09231-40020	Radiator Cap Tester Adapter Set B	
	(09231-04030)	(Adapter B)	
	(09231-04040)	(Adapter B with hose)	
	09231-40030	Radiator Cap Tester Adapter Set C	
	09860-11013	Carburetor drive Set	
	09904-00010	Expander Set	For removing and installing snap ring
	(09904-00020)	(No.1 Claw)	Set of 2
	(09904-00030)	(No.2 Claw)	Set of 2
	(09904-00040)	(No.3 Claw)	Set of 2
	(09904-00050)	(No.4 Claw)	Set of 2
	(09904-00060)	(No.5 Claw)	Set of 2

Illustration	Part No.	Part Name	Note
	(09904-00070)	(No.6 Claw)	Set of 2
	(09904-00080)	(No.7 Claw)	Set of 2
	09905-00012	Snap Ring No.1 Expander	For removing and installing snap ring
	09905-00013	Snap Ring Pliers	
	(09904-00090)	(Claw Set)	Set of 2
	09924-12361	Deep Socket Wrench 36 mm 12P	Square drive 12.7 mm
	09924-12411	Deep Socket Wrench 41 mm 12P	Square drive 12.7 mm