



Toyota Genuine Audio

INSTALLATION INSTRUCTIONS

FOR



Avensis Verso (RHD)

****M2*R**

TABLE OF CONTENTS



1. Application Chart	4
2. System Layout	12
3. Combo / Add on Unit Installation	14
3.1 Vehicle Disassembly	14
3.2 1DIN Audio Installation	15
3.3 1.4DIN Audio Installation	16
3.4 Wide-2DIN Audio Installation	17
4. CD-, MD-Changer and Subwoofer Installation	18
4.1 Vehicle Disassembly	18
4.1.1 In case of Installation under the Passenger's Seat	18
4.1.2 In case of Installation in the Luggage Area	20
4.2 CD- and MD-Changer Installation	25
4.2.1 Hanging under the Passenger's Seat	25
4.2.2 In the Luggage Area	33
4.3 Subwoofer Installation	40
4.3.1 Hanging under the Passenger's Seat	40
5. Outside Temperature Sensor Installation	45

AUDIO APPLICATION CHART
TMME-CS Division Dev. Dept. - July 10th, 2001

Avensis Verso **M2*R

(RHD)

		+ ADD-ON UNIT(S)	
In-Dash CD-Changer TM0461 (08601-00907)		Hide Away CD-Changer TM0461 (08601-00911)	
Green 0.6 CD-Changer (08601-00913)		Seat Mounting CD-Changer TM0461 (08601-00912)	
Green 0.6 CD-Deck (08601-00924)		MD-Changer TM0660 (08601-00900)	
COMBINATION		REQUIRED ADDITIONAL PARTS	
1	Radio/Cassette (only)		Cover-Plate (55522-42010)
2	CD-Tuner (only)		Cover-Plate (55522-42010)
3	Radio/Cassette + CD-Deck		-
4	Radio/Cassette + CD-Changer	(2)	Cover-Plate (55522-42010) Cover-Plate (55522-42010) + F/K (08695-00803)
5	Radio/Cassette + MD-Changer	(3)	- Cover-Plate (55522-42010) + F/K (08695-00803) (3)
6	CD-Tuner + CD-Changer	(2)	Cover-Plate (55522-42010) Cover-Plate (55522-42010) + F/K (08695-00803)
7	CD-Tuner + MD-Changer	(3)	- Cover-Plate (55522-42010) + F/K (08695-00803) (3)

08695-00803 = Hanging Seat Mounting Kit • Note (1) : Outside temperature sensor optional • Note (2) : Luggage area mounting • Note (3) : Passenger seat mounting

AUDIO APPLICATION CHART

TMME-CS Division Dev. Dept. - July 10th, 2001

Avensis Verso **M2*R

(RHD)

		+ ADD-ON UNIT(S)	
		Seat Mounting CD-Changer TM0461 (08601-00912)	MD-Changer TM0660 (08601-00900)
		Hide Away CD-Changer TM0461 (08601-00911)	
		In-Dash CD-Changer TM0561 (08601-00907)	Navigation System TNS500 (08545-00803)
		CD-Deck TF0411 (08601-00906)	Navigation System TNS200 (08545-00802)
		Cassette-Deck TM0300 (08690-00827)	Cassette-Storage PZ437-90342-00 or CD-Storage PZ437-90341-00
COMBINATION		HEAD UNIT	
		REQUIRED ADDITIONAL PARTS	
1	Radio/Cassette (only)	TF4301 (08600-00922) TM4201 (08600-00934) TP4000 (08600-00933) TF2002 (08600-00920) TM2003 (08600-00932)	A-box (55521-16030) A-box (55521-16030) A-box (55521-16030) A-box (55521-16030) A-box (55521-16030)
2	CD-Tuner (only)	TM4412 (08600-00922) TM4414 (08600-00936)	A-box (55521-16030) A-box (55521-16030)
3	Radio/Cassette + Cassette storage	TF4301 (08600-00922) TM4201 (08600-00934) TP4000 (08600-00933) TF2002 (08600-00920) TM2003 (08600-00932)	- - - - -
4	Radio/Cassette + CD-Deck	TF4301 (08600-00922) TM4201 (08600-00934)	- -
5	Radio/Cassette + CD-Changer	TF4301 (08600-00922) TF4301 (08600-00922) TM4201 (08600-00934) TM4201 (08600-00934)	A-box (55521-16030) A-box (55521-16030) + F/K (08695-00803) A-box (55521-16030) A-box (55521-16030) + F/K (08695-00803)

1DIN Head-Unit

TOYOTA ACCESSORIES		+ ADD-ON UNIT(S)	
		Seat Mounting CD-Changer TM0461 (08601-00912)	MD-Changer TM0660 (08601-00900)
		Hide Away CD-Changer TM0461 (08601-00911)	Navigation System TNS500 (08545-00803)
		In-Dash CD-Changer TM0561 (08621-00907)	Navigation System TNS200 (08545-00802)
		CD-Deck TF0411 (08601-00906)	Cassette-Storage PZ437-90342-00 or CD-Storage PZ437-90341-00
		Cassette-Deck TM0300 (08690-00827)	
COMBINATION		REQUIRED ADDITIONAL PARTS	
6	Radio/Cassette + In dash CD-Changer	TF4301 (08600-00922) TM4201 (08600-00934)	- -
7	Radio/Cassette + MD-Changer	TF4301 (08600-00922) TM4201 (08600-00934)	A-box (55521-16030) + F/K (08695-00803) (3) A-box (55521-16030) + F/K (08695-00803) (3)
8	Radio/Cassette + Full Map Navigation	TF4301 (08600-00922) TM4201 (08600-00934)	- -
9	Radio/Cassette + CD-Deck + CD-Changer	TF4301 (08600-00922) TF4301 (08600-00922)	- F/K (08695-00803)
10	Radio/Cassette + CD-Deck + MD-Changer	TF4301 (08600-00922)	F/K (08695-00803) (3)
11	Radio/Cassette + CD-Changer CD/Cass-storage	TF4301 (08600-00922) TF4301 (08600-00922) TM4201 (08600-00934) TM4201 (08600-00934)	- F/K (08695-00803) F/K (08695-00803) F/K (08695-00803)
12	Radio/Cassette + CD-Changer + MD-Changer	TF4301 (08600-00922)	A-box (55521-16030) + F/K (08695-00803)

- 08695-00803 = Hanging Seat Mounting Kit
- Note (1) : Outside temperature sensor optional
- Note (2) : Luggage area mounting
- Note (3) : Passenger seat mounting

AUDIO APPLICATION CHART

TMME-CS Division Dev. Dept. - July 10th, 2001



Avensis Verso **M2*R

(RHD)

		+ ADD-ON UNIT(S)	
		Seat Mounting CD-Changer TM0461 (08601-00912)	MD-Changer TM0660 (08601-00900)
		Hide Away CD-Changer TM0461 (08601-00911)	Navigation System TNS500 (08545-00803)
		In-Dash CD-Changer TM0561 (08601-00907)	Navigation System TNS200 (08545-00802)
		CD-Deck TF0411 (08601-00906)	Cassette-Storage PZ437-90342-00 or CD-Storage PZ437-90341-00
		Cassette-Deck TM0300 (08690-00827)	
COMBINATION	HEAD UNIT	REQUIRED ADDITIONAL PARTS	
13	Radio/Cassette + CD-Changer + MD-Changer+CD/Cass-storage	TF4301 (08600-00922)	F/K (08695-00803)
14	Radio/Cassette + CD-Changer + Full Map Navigation	TF4301 (08600-00922) TM4201 (08600-00934)	- -
15	Radio/Cassette + In dash CD-Changer + MD-Changer	TF4301 (08600-00922)	F/K (08695-00803) (3)
16	Radio/Cassette + MD-Changer + Cass-storage	TF4301 (08600-00922) TM4201 (08600-00934)	F/K (08695-00803) (3) F/K (08695-00803) (3)
17	Radio/Cassette + MD-Changer + Full Map Navigation	TF4301 (08600-00922) TM4201 (08600-00934)	- -
18	Radio/Cassette + MD-Changer + CD-Changer + Full Map Navigation	TF4301 (08600-00922)	-
19	CD-Tuner + CD-storage	TM4412 (08600-00935) TM4414 (08600-00936)	- -
20	CD-Tuner + Cassette-Deck	TM4414 (08600-00936)	-

08695-00803 = Hanging Seat Mounting Kit • Note (1) : Outside temperature sensor optional • Note (2) : Luggage area mounting • Note (3) : Passenger seat mounting

AUDIO APPLICATION CHART
TMME-CS Division Dev. Dept. - July 10th, 2001

Avensis Verso **M2*R

(RHD)

		+ ADD-ON UNIT(S)	
		Seat Mounting CD-Changer TM0461 (08601-00912) MD-Changer TM0660 (08601-00900)	
		Hide Away CD-Changer TM0461 (08601-00911)	Navigation System TNS500 (08545-00803)
		In-Dash CD-Changer TM0561 (08601-00907)	Navigation System TNS200 (08545-00802)
		CD-Deck TF0411 (08601-00906)	Cassette-Storage PZ437-90342-00 or CD-Storage PZ437-90341-00
		Cassette-Deck TM0300 (08690-00827)	
COMBINATION		HEAD UNIT	REQUIRED ADDITIONAL PARTS
21	CD-Tuner + CD-Changer	TM4414 (08600-00936) TM4414 (08600-00936)	A-box (55521-16030) A-box (55521-16030) + F/K (08695-00803)
22	CD-Tuner + In dash CD-Changer	TM4414 (08600-00936)	-
23	CD-Tuner + MD-Changer	TM4414 (08600-00936)	A-box (55521-16030) + F/K (08695-00803) (3)
24	CD-Tuner + Full Map Navigation	TM4414 (08600-00936)	-
25	CD-Tuner + CD-Changer + CD-storage	TM4414 (08600-00936) TM4414 (08600-00936)	- F/K (08695-00803)
26	CD-Tuner + CD-Changer + Full Map Navigation	TM4414 (08600-00936)	-
27	CD-Tuner + MD-Changer + CD-storage	TM4414 (08600-00936)	F/K (08695-00803) (3)
28	CD-Tuner + MD-Changer + Full Map Navigation	TM4414 (08600-00936)	-

08695-00803 = Hanging Seat Mounting Kit • Note (1) : Outside temperature sensor optional • Note (2) : Luggage area mounting • Note (3) : Passenger seat mounting

AUDIO APPLICATION CHART

TMME-CS Division Dev. Dept. - July 10th, 2001

Avensis Verso **M2*R

(RHD)

		+ ADD-ON UNIT(S)			
		Seat Mounting CD-Changer TM0461 (08601-00912)		MD-Changer TM0660 (08601-00900)	
		Hide Away CD-Changer TM0461 (08601-00911)		Navigation System TNS500 (08545-00803)	
		In-Dash CD-Changer TM0561 (08601-00907)		Navigation System TNS200 (08545-00802)	
		CD-Deck TF0411 (08601-00906)		Cassette-Storage PZ437-90342-00 or CD-Storage PZ437-90341-00	
		Cassette-Deck TM0300 (08690-00827)			
COMBINATION		HEAD UNIT		REQUIRED ADDITIONAL PARTS	
29	Radio/Cassette (only)	MOP-Unit 08600-00948 (green)-note (1)			-
30	CD-Tuner (only)	MOP-Unit 08600-00958-A (green)-note (1)			-
31	Radio/Cassette + CD-Changer	MOP-Unit 08600-00948 (green)-note (1) 08600-00948 (green)-note (1)	●(2) ●(2)		- F/K (08695-00803) F/K (08695-00803)
32	Radio/Cassette + MD Changer	MOP-Unit 08600-00948 (green)-note (1)	●(3) ●(3)		F/K (08695-00803) (3) F/K (08695-00803) (3)
33	Radio/Cassette + Navigation (TBT)	MOP-Unit 08600-00948 (green)-note (1)	●(3) ●(3)		- -
34	Radio/Cassette + CD-Changer + MD-Changer	MOP-Unit 08600-00948 (green)-note (1)	●(3) ●(3)		F/K (08695-00803) F/K (08695-00803)



Wide-2DIN

08695-00803 = Hanging Seat Mounting Kit • Note (1) : Outside temperature sensor optional • Note (2) : Luggage area mounting • Note (3) : Passenger seat mounting
 ⚠ Only possible if the vehicle is pre-equipped with the 18P and 12P audio-connectors

AUDIO APPLICATION CHART

TMME-CS Division Dev. Dept. - July 10th, 2001

Avensis Verso **M2*R

(RHD)

		+ ADD-ON UNIT(S)	
		Seat Mounting CD-Changer TM0461 (08601-00912)	MD-Changer TM0660 (08601-00900)
		Hide Away CD-Changer TM0461 (08601-00911)	Navigation System TNS500 (08545-00803)
		In-Dash CD-Changer TM0561 (08601-00907)	Navigation System TNS200 (08545-00802)
		CD-Deck TF0411 (08601-00906)	Cassette-Storage PZ437-90342-00 or CD-Storage PZ437-90341-00
		Cassette-Deck TM0300 (08601-00837)	
COMBINATION	HEAD UNIT		
35	Radio/Cassette + CD-Changer + Navigation (TBT)	MOP-Unit 08600-00948 (green)-note (1)	(3)
36	Radio/Cassette + MD Changer + Navigation (TBT)	MOP-Unit 08600-00948 (green)-note (1)	(3)
37	Radio/Cassette + MD Changer + CD-Changer + Navigation (TBT)	MOP-Unit 08600-00948 (green)-note (1)	(3)
38	CD-Tuner + CD-Changer	MOP-Unit MOP-Unit 08600-00958-A (green)-note (1) 08600-00958-A (green)-note (1)	(2) (2) (3) (3)
39	CD-Tuner + MD-Changer	MOP-Unit 08600-00958-A (green)-note (1)	(3)
40	CD-Tuner + Navigation (TBT)	MOP-Unit 08600-00958-A (green)-note (1)	(3)
		REQUIRED ADDITIONAL PARTS	
		-	F/K (08695-00803)
		-	F/K (08695-00803)
		-	F/K (08695-00803) (3)
		-	F/K (08695-00803) (3)
		-	-
		-	-



Wide-2DIN

08695-00803 = Hanging Seat Mounting Kit • Note (1) : Outside temperature sensor optional • Note (2) : Luggage area mounting • Note (3) : Passenger seat mounting
⚠ Only possible if the vehicle is pre-equipped with the 18P and 12P audio-connectors

AUDIO APPLICATION CHART

TMME-CS Division Dev. Dept. - July 10th, 2001



Avensis Verso **M2*R

(RHD)

		+ ADD-ON UNIT(S)			
		Seat Mounting CD-Changer TM0461 (08601-00912) MD-Changer TM0660 (08601-00900)			
		Hide Away CD-Changer TM0461 (08601-00911)			
		In-Dash CD-Changer TM0561 (05601-00907)			
		CD-Deck TF0411 (08601-00906)			
		Cassette-Deck TM0300 (08690-00827)			
		Navigation System TNS500 (08545-00803)			
		Navigation System TNS200 (08545-00802)			
		Cassette-Storage PZ437-90342-00 or CD-Storage PZ437-90341-00			
COMBINATION		HEAD UNIT		REQUIRED ADDITIONAL PARTS	
41	CD-Tuner + CD-Changer + MD-Changer	MOP-Unit 08600-00958-A (green)-note (1)	●(3) ●(2)	●(3) ●(2)	F/K (08695-00803) F/K (08695-00803)
42	CD-Tuner + CD-Changer + Navigation (TBT)	MOP-Unit 08600-00958-A (green)-note (1)	●(2) ●(2)	●(3) ●(3)	- -
43	CD-Tuner + MD-Changer + Navigation (TBT)	MOP-Unit 08600-00958-A (green)-note (1)	●(2) ●(2)	●(3) ●(3)	F/K (08695-00803) F/K (08695-00803)
44	CD-Tuner + MD-Changer + CD-Changer + Navigation (TBT)	MOP-Unit 08600-00958-A (green)-note (1)	●(2) ●(2)	●(3) ●(3)	- -




Wide-2DIN

08695-00803 = Hanging Seat Mounting Kit • Note (1) : Outside temperature sensor optional • Note (2) : Luggage area mounting • Note (3) : Passenger seat mounting
 ⚠ Only possible if the vehicle is pre-equipped with the 18P and 12P audio-connectors

2. SYSTEM LAYOUT



2.1 CD-CHANGER




NOTE:

The preferred position of the CD-changer ⑬ is under the passenger's seat ⑫.

In case of vehicles with navigation, the navi ECU is located under the passenger's seat ⑫. In this case the CD-changer ⑬ can only be installed in the luggage area ③①.

To install the CD-Changer ⑬ under the passenger's seat ⑫, you need the seat mounting CD-changer TM0461 (08601-00912) and the additional hanging seat mounting kit F/K (08695-00803). To install the CD-changer ⑬ in the luggage area ③①, you need the hide away CD-changer TM0461 (08601-00911).

2.2 MD-CHANGER

**NOTE:**

The preferred position of the MD-changer is under the passenger's seat. In case both the seat mounting CD-changer and the MD-changer are to be installed, the MD-changer should be installed in the luggage area. In case navigation is installed the CD-changer and MD-changer can be installed in the luggage area.

To install the MD-changer ②① under the passenger's seat ⑫, you need the MD-changer TM0660 (08601-00900) and the additional hanging seat mounting kit F/K (08695-00803).

To install the MD-changer ②① in the luggage area ③①, you only need the MD-changer TM0660 (08601-00900).

3. COMBO / ADD ON UNIT INSTALLATION



3.1 VEHICLE DISASSEMBLY




Fig. 1

1. Remove the upper cluster [1].
○: Clip (8x)




Fig. 2

2. Remove the panel [2] and centre cluster [31].
Remove the accessory box [4].
101: Screw (4x)
102: Screw (1x)
○: Clip (7x) + (8x)




Fig. 3

3. Remove the brackets [5] (2x) from the accessory box [4].
100: Screw (8x)

3.2 1DIN AUDIO INSTALLATION




Fig. 4

1. Mount the brackets **5** (2x) to the audio assembly **1** and accessory box **4** or add on unit.

100: Screw (8x)




Fig. 5

2. Before fitting the audio assembly **1** to the vehicle connect the vehicle's audio connector (10P/6P) and antenna.

101: Screw (4x)

REFIT THE REMOVED PARTS.

3.3 1.4DIN AUDIO INSTALLATION




Fig. 6

WITH 0.6DIN ADD ON UNIT

1. Mount the brackets (5) (2x) onto the 1.4 DIN audio assembly (3) and 0.6DIN add on unit (4).
 (100): Screw (8x)




Fig. 7

WITHOUT 0.6DIN ADD ON UNIT

1. Fit the 0.6-DIN cover plate (5).
 Mount the brackets (5) (2x) onto the audio assembly (3) and 0.6DIN cover plate (5).
 (100): Screw (4x)
 (118): Screw (2x)




Fig. 8

2. Before fitting the audio assembly (3) to the vehicle connect the vehicle's audio connector (10P/6P) and antenna.
 (101): Screw (4x)

REFIT THE REMOVED PARTS.

3.4 WIDE-2DIN AUDIO INSTALLATION

⚠ Only possible if the vehicle is pre-equipped with the 18P and 12P audio-connectors.




Fig. 9

1. Mount the brackets ⑤ (2x) onto the wide-2DIN audio assembly ⑥.

100: Screw (8x)




Fig. 10

2. Before fitting the wide-2DIN audio assembly ⑥ to the vehicle connect the vehicle's audio connector (10P/6P) and antenna.

101: Screw (4x)

REFIT THE REMOVED PARTS.



4. CD-, MD-CHANGER AND SUBWOOFER INSTALLATION

4.1 VEHICLE DISASSEMBLY

4.1.1 IN CASE OF INSTALLATION UNDER THE PASSENGER'S SEAT




Fig. 11

1. Remove the upper cluster **[1]**.
○: Clip (8x)




Fig. 12

2. Remove the panel **[2]** and centre cluster **[31]**.
Remove the accessory box **[4]**.
[101]: Screw (4x)
[102]: Screw (1x)
○: Clip (7x) + (8x)




Fig. 13

3. Remove the shift knob [6] and shift cover [7].
 [103]: Screw (4x)




Fig. 14

4. Remove the under box [8] and lower cover [9].
 ○: Clip (5x)
 △: Hook (2x)
 [104]: Screw (5x)
 [116]: Clip (1x)




Fig. 15

5. Remove the front scuff plate (L) [10] and kick panel (L) [11].
 ○: Clip (3x)
 △: Hook (2x)
 [119]: Clip (2x)
 [120]: Hook (1x)

4.1.2 IN CASE OF INSTALLATION IN THE LUGGAGE AREA




Fig. 16

1. Remove the upper cluster [1].
○: Clip (8x)




Fig. 17

2. Remove the panel [2] and centre cluster [31].
Remove the accessory box [4].
[101]: Screw (4x)
[102]: Screw (1x)
○: Clip (7x) + (8x)




Fig. 18

3. Remove the shift knob [6] and shift cover [7].
[103]: Screw (4x)




Fig. 19

4. Remove the under box **8** and lower cover **9**.

104: Screw (5x)

116: Clip (1x)

○: Clip (5x)




Fig. 20

5. Remove the glove compartment **34**.




Fig. 21

6. Remove the front scuff plate (L) **32** and kick panel (L) **33**.

○: Clip (3x)

△: Hook (2x)

119: Clip (2x)

120: Hook (1x)




Fig. 22

7. Remove the rear scuff plate (L) 17.
 ○: Clip (3x)
 △: Hook (2x)




Fig. 23

8. Remove the seat belt 18 and centre pillar cover (L) 19.
 △: Hook (2x)
 108: Clip (2x)
 115: Bolt w/ washer (1x)

CAUTION:

Fasten the bolt with specified torque when reassembling.




Fig. 24

9. Remove the cover 20.




Fig. 25

10. Remove the luggage floor board 21.




Fig. 26

11. Remove the luggage finish plate 22.
109: Clip (4x)




Fig. 27

12. Remove the seat belt 23 and luggage side trim (L) 24.
110: Clip (10x)
111: Cover (2x)
113: Screw (2x)
115: Bolt w/ washer (1x)

CAUTION:

Fasten the bolt with specified torque when reassembling.




Fig. 28

13. Remove the luggage floor trim .

PRELIMINARY

4.2 CD- AND MD-CHANGER INSTALLATION

4.2.1 HANGING UNDER THE PASSENGER'S SEAT




Fig. 29

1. Remove the passenger's seat 12.

105: Cover (4x)

106: Bolt w/ washer (4x)

CAUTION:

Fasten the bolt with specified torque when reassembling.




Fig. 30

2. Cut the tape 7 (10 pieces).




Fig. 31

3. Route and attach the changer wire ⑧ using tape ⑦ (7x).




Fig. 32

4. Remove the side cover (R) ⑬ of the passenger's seat ⑫.
⑩⑦: Screw (2x)




Fig. 33

5. Remove the knob 15 and side cover (L) 14 of the passenger's seat 12. Remove the reinforcement bar 16.
- 107: Screw (2x)
121: Bolt w/ washer (2x)





Fig. 34

FOR CD-CHANGER INSTALLATION


6. Fit the side brackets 9 (2x) and dampers 11 (4x) onto the CD-changer 13 using bolts 2 and nuts 12.
- 2: Bolt (M5x9) (4x)
12: Nut (M6) (4x)
11: Damper ('6CDN' Mark) (4x)

CAUTION:

Loosen the screws before moving them. Screw up after the position is changed.

**FOR MD-CHANGER INSTALLATION**

6. Fit the side brackets ⑨ (2x) and dampers ⑪ (4x) onto the MD-changer ⑫ using bolts ② and nuts ⑫.
- ②: Bolt (M5x9) (4x)
- ⑫: Nut (M6) (4x)
- ⑪: Damper ('MD' Mark) (4x)

**FOR CD- AND MD-CHANGER INSTALLATION**

7. Fit the sub bracket (R) ⑮ to the side bracket (R) ③③.
- ②: Bolt (M5x9) (2x)




Fig. 37

8. Fit the sub bracket (L) ⑭ to the side bracket (L) ⑳.
- ②: Bolt (M5x9) (2x)




Fig. 38

9. Fit the sub bracket (R) ⑮, side bracket (R) ⑳ and spacer ⑯ onto the passenger's seat ⑫ right hand.
- ⑳: Bolt (M6x12) (2x)
- ㉕: Bolt (M6x25) (1x)
- Replace the side cover (R) ⑭ onto the passenger's seat ⑫ right hand.




Fig. 39

10. Fit the sub bracket (L) (14), side bracket (L) (32) and spacer (16) onto the passenger's seat (12) left hand.

②①: Bolt (M6x12) (2x)

②⑤: Bolt (M6x25) (1x)

Replace the side cover (L) (13) and knob (15) onto the passenger's seat (12) left hand.




Fig. 40

11. Route the changer wire (8) and ground wire (22) (ground wire: only in case of MD-changer).




Fig. 41

12. Connect the changer wire ⑧ and the ground wire ②② (**ground wire: only in case of MD-changer**) to the changer-unit.

⑫: Nut (M6) (4x)




Fig. 42

13. Fit the changer-unit to the sub brackets ⑭+⑮, under the passenger's seat ⑫ using nuts ⑫.
- ⑫: Nut (M6) (4x)

REFIT THE REMOVED PARTS.

4.2.2 IN THE LUGGAGE AREA




Fig. 43

1. Cut the tape ⑦ (10 pieces).




Fig. 44

2. Route and attach the changer wire ⑧ as shown using tape ⑦ (5x).




Fig. 45

3. Route and attach the changer wire ⑧ along the passenger's side back door using tape ⑦ (2x).




Fig. 46

4. Route and attach the changer wire ⑧ as shown using tape ⑦ (3x).




Fig. 47

ONLY FOR MD-CHANGER INSTALLATION

5. Attach the ground wire ②.
112 : Bolt (1x)

FOR MD-CHANGER INSTALLATION

6. Attach the tapes ⑰, spacer ⑱ and side brackets ⑲ (2x) to the MD-changer ⑳.

②: Bolt (M5x9) (6x)

⑰: Tape

(1x)

(2x) Cut to size 67 x 40mm

(4x) Cut to size 25 x 30mm

⑱: Spacer with nut (1x)




Fig. 48

7. Location of the MD-changer ⑳.




Fig. 49




Fig. 50

8. Attach the MD-changer (21) to the luggage floor (26).




Fig. 51

9. Remove the MD-changer (21) from the side brackets (19) (2x).
 (2): Bolt (M5x9) (4x)




Fig. 52

10. Cut the luggage floor trim (25) as shown in the illustration.




Fig. 53

11. Fit the MD-changer (21) between the brackets (19) (2x).

(2): Bolt (M5x9) (4x)

Connect the changer wire (8) and ground wire (22) to the MD-changer (21).




Fig. 54

FOR CD-CHANGER INSTALLATION

6. Attach the tapes (17), spacers (18) (4x), base bracket (26) and sub brackets (27) to the CD-changer (13).

(2): Bolt (M5x9) (6x)

(17): Tape

(4x)

(4x) Cut to size 67 x 40mm

(18): Spacer with nut (4x)




Fig. 55

7. Location of the CD-changer 13.




Fig. 56

8. Attach the CD-changer 13 to the luggage floor 26.




Fig. 57

9. Remove the CD-changer 13 from the brackets 26+27.
 ②: Bolt (M5x9) (6x)




Fig. 58

10. Cut the luggage floor trim 25 as shown in the illustration.




Fig. 59

11. Fit the CD-changer 13 between the brackets 27 (2x).
 ②: Bolt (M5x9) (4x)
 Connect the changer wire ③ to the CD-changer 13.

REFIT THE REMOVED PARTS.

4.3 SUBWOOFER INSTALLATION

4.3.1 HANGING UNDER THE PASSENGER'S SEAT

NOTE:

The subwoofer is to be installed hanging under the passenger's seat. The additional fitting kit (PZ425-50240-00) is required.




Fig. 60

1. Remove the passenger's seat ⑫.

⑩⑤: Cover (4x)

⑩⑥: Bolt w/ washer (4x)

CAUTION:

Fasten the bolt with specified torque when reassembling.




Fig. 61

2. Cut the tape ⑦ (10 pieces).




Fig. 62

3. Fold up the floor carpet 27.
Route and attach the subwoofer wire 8 harness using tape 7 (5x).




Fig. 63

4. Remove the side cover (R) 13 of the passenger's seat 12.
107: Screw (2x)




Fig. 64

5. Remove the knob ⑮ and side cover (L) ⑭ of the passenger's seat ⑫. Remove the reinforcement bar ⑯.
- ⑩⑦: Screw (4x)
⑩②①: Bolt w/ washer (2x)




Fig. 65

6. Remove 4 screws ⑳ from the sub-woofer ㉓.
- ㉓: Screw (4x)




Fig. 66

7. Fit the side bracket (R) ③⑤ to the passenger's seat ①② right hand.
 ③⑥ : Bolt (2x)




Fig. 67

8. Fit the side bracket (L) ③④ to the passenger's seat ①② left hand.
 ③⑥ : Bolt (2x)




Fig. 68

9. Route the subwoofer wire ②④ under the passenger's seat ①②.




Fig. 69

10. Before installing the subwoofer ②③, adjust the sensitivity to the correct position.




Fig. 70

11. Fit the subwoofer ②③ to the attached side brackets ③④+③⑤ under the passenger's seat ①② using screws ②⑦.
②⑦: Screw (4x)

REFIT THE REMOVED PARTS

9. OUTSIDE TEMPERATURE SENSOR INSTALLATION

**NOTE:**

Please check first whether the prewired connector is available. If it is not available fitting of the thermistor is impossible.

1. Attach the temperature sensor ③①.




Fig. 71

NOTES

PRELIMINARY

PRELIMINARY

TOYOTA
GENUINE PARTS