## New HHC test





TD1

Support Services

User Survey

			0
Home Search QA	No VIN on Vehicle		XXXX 🕗
	No VIN on Vehicle. Please enter VIN.	If VIN up an at found	
Messages	XXX XXXXXXX XXXXXXX	vou will be able to	
	Cancel Apply	enter it manually.	
There are no unread message	s	Search by VIN code	
Go to Message Center	XX	Q 20000000000000 Q	
	More widgets coming soon		
TD1	Support Services	L	Jser Survey
	ΤΟΥΟΤΑ		





🐨 τογα	АТС			θ	
<b>↑</b> Home	Q Vehicle Connection			I WRREV00 D030956 ×	
Tone	Please Select the Model Variati	ion			
Messages	Nothing selected	~	Vehicle variation options must	Connect Vehicle	
	Model Type:	RAV4	De selected, just as belole.		
	Basic Model Code:	AVA42	It's important to select the	0D030956	
	Body Type:	SUV LWB5	otherwise the communication	ide	
	Production Date:	2016-12-01	to ECUs maybe impacted.		
	Country Of Registration:	BE			
			Cancel		
TD1		Support	rt Services	User Survey	
		<b>ت</b>	τογοτα		



💮 ΤΟΥΟΤΑ		0	
A C	Vehicle Connection	WRREV00 D030956 ×	
	Please Select the Model Variation		
	-1708 ~	Connect Vehicle	
	Nothing selected		
	Radar Cruise		
	Others		
	Body Type: SUV LWB5		
Vehicle Info	Production Date: 2016-12-01		
Details	Country Of Registration: BE	y Installations	
Odometer Replacements		Cancel	
Details			
Engine:	2.5 L4 HV		
Engine Code:	2AR-FXE		
Transmission:	Continuously Variable Transmission		
Body Type:	SUV LWB5		
Colour Code:	070		
Production Date:	2016-12-01		
Registration Number			
Used Code:			

NEW HHC TOYOTA

C TOYOTA A Q Home Search	Vehicle Connection Please enter the mileage		⊚км Ом	WRREVOO DO30956 ×
	Production Date 1 Dec 2016		Engine Code 2AR-FXE	New feature: Odometer value entry
Vehicle Info				Please carefully notedown the value of the odometer from the vehicle. Pay attention if the value is expressed in <b>Kilometers or</b> in <b>Miles</b>
Details	Vehicle Features	Campaigns	Re	
Odometer Replacements	Service History	HHC Certificates	Ve	
Details				
Engine:	2.5 L4 HV			Based on the information decoded from the VIN number
Engine Code:	2AR-FXE			the sistem will propose you automatically the known measurement
Transmission:	Continuously Variable Tr	ansmission		vou consider appropriate.
Body Type:	SUV LWB5			Jon constant appropriate
Colour Code:	070			<b>Important:</b> the odometer value inputed here will be taken in
Production Date:	2016-12-01			consideration for the HHC and is <u>directly saved</u> in the system so please
Registration Number:				pay attention and verify the value before pressing wext
Used Code:				

NEW HHC

ΤΟΥΟΤΑ

ΤΟΥΟΤΑ			0	
A Q ≡, Home Search QA	Vehicle Info		VIN JTM WRREV00 D030956 ×	
	Status Connected VIN Number	Model Type	Disconnect Vehicle Basic Model Code	The green area contains all the essential decoded specifications.
	JTMWRREV00D030956 Production Date 1 Dec 2016	RAV4 Engine Code 2AR-FXE	AVA42 HHC status	
Vehicle Info Details Vehicle Odometer Replacements Service	Features Campaigns History HHC Certificates	Repairs Vehicle Diagnostic	Accessory Installations	The <b>blue</b> area contains the new menu for repair history, campaigns, vehicle features, etc.
Vehicle Diagnostic Must Do Connect Vehicle DTC Check	Disconnect Vehicle	Can Do HHC VIN WRITE	► Start ► Start	The <b>red</b> area contains all the <b>Vehicle diagnostic</b> <b>operations.</b> In future releases, these will include WW.
TD1	Support	Services	User Survey	

ΤΟΥΟΤΑ					0	
nnne Q Home Search	QA Vehicle Info				$\overset{\rm VIN}{-}$ JTM WRREV00 D030956 $\times$	
	Status Connected VIN Number JTMWRREV00D03	0956	Model Type RAV4		Disconnect Vehicle Basic Model Code AVA42	
	Production Date 1 Dec 2016		Engine Code 2AR-FXE	La va	HHC status test HHC contract date& odometer lue will be indicated <b>here</b>	Click "Start" to initiate Hybrid Health Check
Vehicle Info						
Details	Vehicle Features	Campaigns	Repairs	rs	Accessory Installations	
Odometer Replacements	Service History	HHC Certificates	Vehicle	le Diagnostic		
Vehicle Diagnostic						
Must Do			Can Do			
Connect Vehicle	Ø Die	sconnect Vehicle	ННС		► Start	Click "Start" to initiate Hybrid Health Check
DTC Check		► Start	VIN WRITE		► Start	
						$\mathbf{\nabla}$
TD1		Support	Services		User Survey	



## **HHC contract status indication**



NEW HHC

ΤΟΥΟΤΑ

## **Important**

For a vehicle that is eligible for an Extended Care Contract **both buttons will be displayed.** 

While we recommend to choose to "**Continue with Contract**" option for an eligible vehicle, exceptionally the dealer can take the decission of selecting "**Continue without contract**" button in the situation where the extended care might not be required.

## In such situation the HHC is a just method of evaluating the state of the hybrid system <u>at the</u> <u>moment the test is being performed.</u>

If the **"Continue without contract** " button is selected, NO contract will be created supporting the extended care and therefore, any future claim would be not be covered as part of the HHC program.



ΤΟΥΟΤΑ		0
A Q ≡ A A A A A A A A A A A A A A A A A		00 D030956 ×
HHC Start Coolant Check	TC Check Hybrid Battery Check Auxiliary Battery Charging HHC Check Result	
During the Hybrid tests will Some of the tests are perf Please familiarise yoursel The total duration of Please follow the instru	Health Check, a number of function be performed on the vehicle ormed automatically, others are performed manually. If with the test process before commencing this test. If these tests will take approximately 4 minutes.	
	(Watch the tutorial video) Start HHC Check	
TD1	Support Services	User Survey

ΤΟΥΟΤΑ		0
A ⊂ =, A Home Search QA Vehicle In	HHC Check	VIN JTM WRREV00 D030956 ×
Pleas Para Para	Image: Sector Secto	Result
TD1	Support Services	User Survey
	Δ ΤΟΥΟΤΑ	

NEW HHC TOYOTA

ΤΟΥΟΤΑ	0
A ⊂ ⊂ A Home Search QA Vehicle Info HHC Check	VIN JTM WRREV00 D030956 ×
HHC Start       Image: Coolant Check       Image: Coolant Check       Image: Hybrid Battery Check         HHC Start       Coolant Check       Image: Coolant Check       Hybrid Battery Check         Hubrid Battery Check       Coolant Check       Image: Coolant Check       Hybrid Battery Check         Please inspect the condition of Engine Coolant Pump, Image: Coolant Level and enter your obsen       Engine Coolant Level and enter your obsen	heck Auxiliary Battery HHC Check Result Charging Fan operation and rations below:
Pump: Ok Not Ok Fan: Ok Not Ok	 • Max • Mid • Min •
Go to DTC Check	Once everything is OK (or in the green range), press the button to continue.
TD1 Support Services	User Survey
😨 ΤΟΥΟΤΑ	



🐨 ΤΟΥΟΤΑ				0		
<b>↑</b> Q <b>≡</b> Home Search QA	Vehicle Info HHC Che	× eck		VIN JTM WRREV00 D030956 ×		
	HHC Start Coolant Check	DTC Check Hybrid Battery Check	Auxiliary Battery Charging	L		
	<b>The syste</b> Test will start a	m will now perform a DTC automatically once the below condition	Check			
		lease put the car in 'Ignition ON, Ready	<sup>oFF' state.</sup> Condi green	s an automated pro- tion is met, the circ <sup>i</sup>	cess. If the le will become	
TD1		Support Services		User Survey		

ΤΟΥΟΤΑ		0
A ■ A ■ A ■ A ■ A ■ A ■ A ■ A ■ A ■ A ■	× VIN JTM WRREVOO	D030956 ×
HOME SEALCH QA VEHICLE INTO HINC CHEC HHC Start Coolant Check	Image: A constraint of the constrai	
TD1	Support Services	User Survey

ΤΟΥΟΤΑ		Θ	
A Q ■ A C A C A C A C A C A C A C A C A C A	HHC Check	VIN JTM WRREV00 D030956 ×	
LHC Star Co	Image: Start Test	ey HC Check Result Hybrid Battery Insulation Also automated. All met requirement will be indicated with a green circle.	ts
TD1	Support Services	User Survey	
	TOYOTA		



ΤΟΥΟΤΑ		0	
	A     ₹     ₽     ×       Home     Search     QA     Vehicle Info     HHC Check	VIN JTM WRREV00 D030956 ×	
	HHC Start Coolant Check DTC Check Hybrid Battery	Check Auxiliary Battery HHC Check Result Charging	
	The system will now check the performance of Hybrid	Battery and Hybrid Battery Insulation	
	checked		
	Select Lever to P		
Air Conditioning Off 38.00 Coolant Temperature			
	A places around the arfatu of the around the unbide and unbed abade are in place.		
	Start Test	Once engine is warmed up, the user can continue to <b>STALL TEST</b> . Warnings are	
	Step 1/2	placed to capture the attention.	
		This step is NOT automated to ensure	
		the user is aware of what needs to be	
	TD1 Support Services	done.	
	ΑΤΟΥΟΤ	To start this step, the user must click	

	ΥΟΤΑ		0
ft Home	Q <b>≕, ឝ ਂ</b> Search QA Vehicle Info HHC Check	×	IN JTM WRREV00 D030956 ×
	HHC Start Coolant Check [	DTC Check Hybrid Battery Check Auxiliary Battery HHC Check Result Charging	
	The system will now check the perfo	rmance of Hybrid Battery and Hybrid Battery II	sulation
	Test will start aut	omatically once the below conditions are met	ISUIATION
	Marning! Active test. Ensure	the brake pedal is firmly depressed for the duration of the test.	
	The	e Stall test will take 30 seconds	
	Brake Pedal depressed	2 Select Lever to D 3 Accelerator Pedal depresse	
		0 0	
		Step 2/2	
TD1		Support Services	User Survey
		ΑΤΟΥΟΤΑ	



<b>ΔΤΟΥΟΤΑ</b>			0
Home Search	QA Vehicle Info HHC Check	VIN JTM WRREVO	D D030956 ×
	HHC Start Coolant Check DTC Check Hybrid Battery Ch	eck Auxiliary Battery HHC Check Result Charging	
	Test is running     Please keep all the below conditions active     Warning! Active test. Ensure the brake pedal is firmly depressed for the duration of the test.		
	1     Brake Pedal depressed     2     Select Lever to D	Accelerator Pedal depressed	gress bar has been added. This izes the process duration.
	3 seconds Step 2/2		If a condition is not met anymore (e.g: accelerator pedal released), then the progress bar will <b>reset.</b>
TD1	Support Services		User Survey
	ΟΤΟΥΟΤΑ		



ΤΟΥΟΤΑ		Θ
<b>↑</b> Q <b>≂</b> Home Search QA	/ehicle Info HHC Check	VIN JTM WRREV00 D030956 ×
	) 🕗 🕗 💼	
HHC Str	rt Coolant Check DTC Check Hybrid Battery Check Auxiliary Battery Charging	HHC Check Result
	Stall test complete	
	l est will end once the below conditions are met	
	Please ensure lever is back in position P.	
		A new screen with
	Accelerator pedal released     2 Select Lever to P	instructions for
		safety.
	Step 2/2	
TD1	Support Services	User Survey
	(TOYOTA	



(	ΤΟΥΟΤΑ		0
	A ⊂ = A A Home Search QA Vehicle Info	HHC Check	V00 D030956 ×
	HHC Start Coolant C	Image: State Image: State   Image: State Image: State	
		Step 2/2	
I	TD1	Support Services	User Survey
		(2) ΤΟΥΟΤΑ	



 ΤΟΥΟΤΑ	0	
↑     Q     ⇒     I     ×       Home     Search     QA     Vehicle Info     HHC Check	16 ×	
HHC Start Coolant Check DTC Check Hybrid Battery Check Auxiliary Battery Coolant Check Hybrid Battery Check Charging		
The system will now check the Auxillary Battery Charging System		
Ignition ON Ready ON Air Conditioning and blower ON (no auto mode) Head lights - High Beam ON (no auto mode)		
TD1 Support Services User	Survey	

<b>ΤΟΥΟΤΑ</b>		0
A Q ■ A A A A A A A A A A A A A A A A A	HHC Check	JTM WRREV00 D030956 ×
HC Start Coo	Image: Space Check       Image: Sp	
TD1	Support Services	User Survey
	C τογοτα	



ΤΟΥΟΤΑ	0	
↑     Q     ₹     ₹       Home     Search     QA     Vehicle Info     HHC Check	VIN JTM WRREV00 D030956 ×	
HHC Start Coolant Check DTC Check Hybrid Battery Check Auxilia Chu	ary Battery HHC Check Result	
Hybrid Health Check Passed An extended care contract cannot be created because: 94034 : TARS Dealer	r Code is not provided	
Please hand-over a Hybrid Health Check certificate to the customer		
Certificate Language	Verdict will be shown in the end.	
Print	If multiple languages are	
	used in the country, an option is provided to select one.	
TD1 Support Services	User Survey	
Ο ΤΟΥΟΤΑ		

